Abbott

Redwood Toxicology Laboratory, Inc
3650 Westwind Blvd., Santa Rosa, CA 95403
Phone: (707) 577-7959 or (800) 255-2159 | Fax: (707) 577-0365
www.redwoodtoxicology.com

Laboratory Directors: Jasbir S. Arora, Ph.D.; Henry Tsai, M.D., Ph.D.
CLIA Certificate # 05D0707588

Identification: [redacted]
DOB: [redacted]
Sex: M
Collected by: WNBF AUSTRALIA
Collected:
Received: 06/18/2026 2:24 PM
Reported: 06/25/2026 10:07 PM

Account #: 105628
Requisition #: A005318809
Accession #: 260618-05437
Specimen Type: Urine

Client: [redacted]

Test Reason: Other

Summary
NEGATIVE

Tests Ordered
• 5550 - Anabolic Steroids and Agents GC-MS Screen with Confirmation, Urine

Drug Tests

	SCREEN			CONFIRMATION		
Drug Class / Drug / Drug Metabolite	**Method**	**Cutoff**	**Result**	**Method**	**Cutoff**	**Result**
Anabolic Steroids and Agents						
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)*	GC/MS	2 ng/mL	Negative			
4-Hydroxytestosterone, Formestane &/or metabolite(s)*	GC/MS	2 ng/mL	Negative			
6a-Methylandrostendione metabolite*	GC/MS	2 ng/mL	Negative			
Androstendiol, Androstendione or Testosterone (T/E Ratio)*	GC/MS	4 T/E Ratio	Screened Positive			
Androstendiol, Androstendione or Testosterone (T/E Ratio)*				GC/MS	4 T/E Ratio	Negative
Bolasterone metabolite*	GC/MS	2 ng/mL	Negative			
Boldenone metabolite(s)*	GC/MS	2 ng/mL	Negative			
Calusterone metabolite(s)*	GC/MS	2 ng/mL	Negative			
Clenbuterol (anabolic agent)*	GC/MS	1 ng/mL	Negative			
Clostebol metabolite(s)*	GC/MS	2 ng/mL	Negative			
Danazol metabolite(s)*	GC/MS	2 ng/mL	Negative			
Dehydrochlormethyltestosterone metabolite(s)*	GC/MS	2 ng/mL	Negative			
Desoxymethyltestosterone metabolite(s)*	GC/MS	2 ng/mL	Negative			
Drostanolone &/or metabolites*	GC/MS	2 ng/mL	Negative			
Epitestosterone (masking agent)*	GC/MS	200 ng/mL	Negative			
Estra-4,9-dien-3,17-dione metabolite(s)*	GC/MS	2 ng/mL	Negative			
Fluoxymesterone metabolite(s)*	GC/MS	2 ng/mL	Negative			
Formebolone metabolite(s)*	GC/MS	2 ng/mL	Negative			
Furazabol metabolite*	GC/MS	2 ng/mL	Negative			
Halodrol metabolite*	GC/MS	2 ng/mL	Negative			
Mestanolone metabolite*	GC/MS	2 ng/mL	Negative			
Mesterolone metabolite(s)*	GC/MS	2 ng/mL	Negative			
Methandriol metabolite(s)*	GC/MS	2 ng/mL	Negative			
Methandrostenolone metabolite(s)*	GC/MS	2 ng/mL	Negative			
Methasterone &/or metabolite*	GC/MS	2 ng/mL	Negative			
Methenolone &/or metabolite(s)*	GC/MS	2 ng/mL	Negative			
Methyl-1-testosterone &/or metabolite(s)*	GC/MS	2 ng/mL	Negative			
Methyltestosterone metabolite(s)*	GC/MS	2 ng/mL	Negative			

Mibolerone metatabolite*	GC/MS	2 ng/mL	Negative			
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)*	GC/MS	2 ng/mL	Negative			
Norclostebol metabolite(s)*	GC/MS	2 ng/mL	Negative			
Norethandrolone metabolite(s)*	GC/MS	2 ng/mL	Negative			
Oxabolone &/or metabolite(s)*	GC/MS	2 ng/mL	Negative			
Oxandrolone &/or metabolite*	GC/MS	2 ng/mL	Negative			
Oxymesterone*	GC/MS	2 ng/mL	Negative			
Oxymetholone metabolite(s)*	GC/MS	2 ng/mL	Negative			
Probenecid (masking agent)*	GC/MS	100 ng/mL	Negative			
Prostanozol metabolite(s)*	GC/MS	2 ng/mL	Negative			
Stanozolol metabolite(s)*	GC/MS	2 ng/mL	Negative			
Stenbolone &/or metabolite(s)*	GC/MS	2 ng/mL	Negative			
Testolactone (anti-estrogen) metabolite*	GC/MS	2 ng/mL	Negative			
Trenbolone metabolite*	GC/MS	10 ng/mL	Negative			

*This result was generated and processed in a CLIA certified, high complexity lab. This test was developed and validated by the CLIA certified laboratory performing the testing, pursuant to CLIA regulations. Its performance characteristics were determined by Redwood Toxicology Laboratory and have not been cleared or approved by the U.S. Food and Drug Administration.

Specimen Validity Tests

Test	Method	Reference Range	Result
Creatinine	Colorimetric	≥20 mg/dL	97.8 mg/dL

Comments:

Method Index

EA - Enzyme Assay
EIA - Enzyme-Immunoassay
ELISA - Enzyme-Linked Immunosorbent Assay
GC-FID - Gas Chromatography - Flame Ionization Detector
GC/MS - Gas Chromatography / Mass Spectrometry
IA - Immunoassay
LC-MS/MS - Liquid Chromatography Tandem Mass Spectrometry

TERMINOLOGY INDEX	
Cutoff	The concentration level equal to or above which the presence of a drug or drug class in the sample will be reported as positive for screen or confirmation.
Negative	Analytical result indicating drug, drug class or drug metabolite not detected equal to or above the applicable cutoff.
Screened Positive	Preliminary unconfirmed analytical result indicating presence of drug or drug class equal to or above the applicable cutoff.
Confirmed Positive	Confirmatory analytical result indicating presence of drug or drug metabolite equal to or above the applicable cutoff.

Important Notes:

Careful consideration and appropriate professional judgment should be applied when considering any drug of abuse test result. Certain test results may be impacted by interfering substances, time from collection, and human factors such as metabolism or medical conditions. If there are any unconfirmed positive (screen only) results in this report, a more specific alternate analytical method must be used in order to obtain a confirmed analytical result.